

U-Touch



U-Touch Table



CLICK **HERE** FOR VIDEO

U-Touch Ltd, Unit 7, 2A Byam Street, Fulham, London, SW6 2RD

t: +44 (0)20 7731 6681 f: +44 (0)20 7731 6719

e: mark@u-touch.co.uk

www.u-touch.co.uk

U-Touch



U-Touch Table



A fully integrated touch table solution which marries the incredibly crisp and bright NEC LCD display range with our Thru-Glass touch screen technology - housed and protected below a durable sheet of toughened anti-reflective glass. This superb new interactive touch screen solution is suitable for a wide range of industry applications such as:



- **Restaurants & Fast Food**
- **Corporate & Boardrooms**
- **Pubs, Bars & Clubs**
- **Gaming**
- **Museums & Exhibitions**
- **Events & Conferences**
- **Hotels & Leisure**
- **Books, Magazines & Publishing**



The U-Touch Table has been designed, specified and built in collaboration with one of the country's largest and most respected contract furniture makers, **Ness Furniture Ltd.**

Worldwide specialists in interactive touch screens for large format displays

U-Touch



FEATURES & SPECIFICATIONS

Ergonomically designed and housed in stylish furniture, the U-Touch Table is a unique way to communicate with your customers and have them communicate with you. An incredible system that allows the user to make choices regarding products and services by simply touching the glass table - the same table which can hold drinks and food. The Thru-Glass technology is produced from the same material used in high demanding applications including ATM's, Medical Displays, Gaming Systems and Interactive Kiosks which, coupled with a bespoke piece of toughened glass, ensures the technology is protected from moisture, heat, spilt drinks and even vandalism.



- Excellent viewing angle and high contrast image
- Wide range of sizes available, currently 32" 40" 52"
- Toughened anti-reflective glass
- Integrated cooling system
- Optional in-built speakers
- Integrated housing for PC/Laptop
- Interactivity even works with a gloved hand
- Single cable for power and connection to PC
- Suitable for use in high ambient light conditions
- Easy to clean, unaffected by harsh cleaning fluids
- LCD display life 40,000 hours

Distributor :

Live Media Ltd.
TEL : +(852) 3690 1900
FAX : +(852) 3527 3434

E-Mail : info@livemedia.com.hk
Web : www.livemedia.com.hk

Flat B, 9/F, Metex House,
28 Fui Yiu Kok Street ,
Tsuen Wan, N.T., Hong Kong

Viewing Angle

Light Transmission

Aspect Ratio

Power Requirements

Lead & Connector

Image Gain

Speed Of Response

Touch Screen Resolution

Position Accuracy

LCD Native Resolution

Operating Humidity

Regularity

Software Provided

Warranty

Up to 160 degrees

>88%

4:3 & 16:9 Standard, others available

5 mA at 6 to 12 volts, from RS232 port

Female D9 serial connector, 10m length

Typical 1.3 with grey tint

13 msec through 4mm glass

Less than 1mm

Less than 1% of diagonal error

3210 & 4020 - 1360x768, 5220 - 1920x1080

0 to 90% RH @ 40 deg C

CE and UL compliant

Calibration CD for Windows 2000, XP & Vista

24 Months